

Incident Name: American Drew Plant 14 Region/County: WSRO / Wilkes
Groundwater Incident File # 9916 Ranking Performed by: Ansbaugh
Date: 2/6/96

GW/TF-200
Page 1 of 3
6/1/92

NORTH CAROLINA
GROUNDWATER CONTAMINATION INCIDENT MANAGEMENT
SITE PRIORITY RANKING SYSTEM
(To be completed by Regional Office)

- | | <u>Points Awarded</u> |
|--|-----------------------|
| I. IMMINENT HAZARD ASSESSMENT | |
| A. Explosion - free product in confined areas or vapor phase product detected at or above 20% of the lower explosive limit or at health concern levels; award 50 points total | _____ |
| B. Fire - free product subject to ignition in exposed areas such as surface water impoundments, streams, excavations, etc.; award 50 points total | _____ |
| II. EXPOSURE ASSESSMENT | |
| A. Contaminated Drinking Water Supplies | |
| 1. Private, domestic water supply well containing substances in concentrations exceeding 15A NCAC 2L groundwater quality standards; award 10 points per well | _____ |
| 2. Public or institutional water supply well containing substances in concentrations exceeding 15A NCAC 2L groundwater quality standards; award 20 points per well | _____ |
| 3. Exceedances of Class WS-1 surface water quality standards as a result of groundwater discharge; award 20 points per surface water body impacted | _____ |
| 4. If a water supply well identified in Items II. A. 1 and II. A. 2 cannot be replaced by an existing public water supply source requiring hook-up only; award additional 10 points per irreplaceable well | _____ |
| B. Threat to Uncontaminated Drinking Water Supplies | |
| 1. Private, domestic water supply well located within 1500 feet down gradient of contaminant source; award 10 points per well | _____ |
| 2. Public or institutional water supply well located within 1500 feet downgradient of contaminant source; award 15 points per well | _____ |
| 3. Raw surface water intake for public water supply located within 1/2 mile downgradient of contaminant source; award 5 points per water supply system | _____ |
| 4. If any well identified in Items II. B. 1 and II. B. 2 or an intake in Item II. B. 3. are located within 250 feet of contaminant source; award additional 20 points total (not per well or intake) | _____ |
| C. Vapor Phase Exposure | |
| 1. Product vapors detected in inhabitable building(s) below 20% of the lower explosive limit or health concern levels; award 30 points total | _____ |

6/1/92

Points Awarded

2. Product vapors detected in other confined areas (uninhabitable buildings, sewer lines, utility vaults, etc.) below 20% of the lower explosive limit; award 10 points total

III. SOURCE ASSESSMENT

- A. Uncontrolled or Unabated Primary Source (including dumpsites, stockpiles, lagoons, land applications, septic tanks, landfills, underground and above ground storage tanks, etc.)
1. Suspected or confirmed source remains in active use and continues to receive raw product, wastewater or solid waste; award 30 points per source
 2. Active use of suspected or confirmed source has been discontinued or source was caused by a one-time release of product or waste, however, source continues to release product or contaminants into the environment; award 10 points per source

20

IV. ENVIRONMENTAL VULNERABILITY ASSESSMENT

- A. Vertical Contaminant Migration - Literature or well logs indicate that no confining layer is present above bedrock or within twenty feet of land surface; award 10 points total
- B. Horizontal Contaminant Migration - Data or observations indicate that no discharge points or aquifer discontinuities exist between the source and the nearest downgradient drinking water supply; award 10 points total
- C. Existing Groundwater Quality - The worst case monitor or supply well contains contaminant levels:
1. At less than 10 times the 2L groundwater standards; award 5 points
 2. Between 10 and 100 times the 2L groundwater standards; award 20 points
 3. Greater than 100 times the 2L groundwater standards; award 40 points

10

10

V. REGIONAL OFFICE RESPONSE (LETTER RANK)

Priority A - (Site meets any one of the criteria)

1. Water supply well(s) contaminated and no alternate water supplies available.
2. Vapors present in confined areas at explosive or health concern levels.
3. Treated surface water supply in violation of the safe drinking standards.

Priority B - (Any One)

1. Water supply well(s) contaminated, but alternate water supplies available.

2. Water supply well(s) within 1500 feet of site, but not contaminated and no alternate water supplies available.
3. Vapors present in confined areas but not at explosive or health concern levels.

Priority C - (Both)

1. No water supply well(s) contaminated.
2. Water supply well(s) greater than 1500 feet from site, no alternate water supply available.

Priority D - (Both)

1. No water supply well(s) contaminated.
2. Water supply well(s) within 1500 feet of site but alternate water supplies available.

Priority E - (Both)

1. No water supply well(s) contaminated or within 1500 feet of site.
2. Area served by alternate water supply.

TOTAL POINTS AWARDED

40/E
#/Letter